

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	1	((one\$3touch near3 key\$9) same map\$5 same table) and ((replace\$5 or change\$5 or alter\$9 or substitut\$9) near3 (keyboard or key\$3map or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:30
S4	12	((one\$3touch near3 key\$9) same table) and ((replace\$5 or change\$5 or alter\$9 or substitut\$9) near3 (keyboard or key\$3map or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:53
S5	1	((one\$3touch near3 key\$9) same table) and ((replace\$5 or change\$5 or alter\$9 or substitut\$9) near3 (keyboard or key\$3map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:53
S6	1491	((keyboard) same table) and ((replace\$5 or change\$5 or alter\$9 or substitut\$9) near3 (keyboard or key\$3map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:39
S7	545	((keyboard) same (select\$5 or choos\$5) same table) and ((replace\$5 or change\$5 or alter\$9 or substitut\$9) near3 (keyboard or key\$3map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:54
S8	6	((keyboard) same (select\$5 or choos\$5) same ((one\$3touch) or (one adj2 touch)) same table) and ((replace\$5 or change\$5 or alter\$9 or substitut\$9) near3 (keyboard or key\$3map))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:59
S9	58	((keyboard) same (select\$5 or choos\$5) same ((one\$3touch) or (one adj2 touch))) and ((replace\$5 or change\$5 or configur\$5 or alter\$9 or substitut\$9) near3 (keyboard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 17:09
S10	8	S9 and ((one\$3touch or (one adj2 touch)) same table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 17:01
S11	8	((keyboard) same (layout or arrangement) same (select\$5 or choos\$5) same ((one\$3touch) or (one adj2 touch))) and ((replace\$5 or change\$5 or configur\$5 or alter\$9 or substitut\$9) near3 (keyboard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 17:09

EAST Search History

S12	0	"20010035858".pn. and (print\$5 with keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:31
S13	0	"20010035858".pn. and (print\$5 same keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:31
S14	0	"20010035858".pn. and (output\$5 same keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:35
S15	1	"20010035858".pn. and (layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:33
S16	1	"20010035858".pn. and (print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:34
S17	0	"20010035858".pn. and (label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:34
S18	0	"20010035858".pn. and (label\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:34
S19	1	"20010035858".pn. and (keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:37
S20	14304	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard or key\$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:03
S21	1232	S20 and ((user or operator) near4 (select\$5 or choos\$5) near5 (keyboard or key\$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:39

EAST Search History

S22	38	S21 and ((print\$5 or output\$5 or record\$5 or generat\$5 or produc\$5) near4 (label\$5 or cover or layout) near5 (keyboard or key\$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:41
S23	43	S21 and ((print\$5 or output\$5 or creat\$5 or record\$5 or generat\$5 or produc\$5) near4 (label\$5 or cover or layout) near5 (keyboard or key\$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:40
S24	3	"3879722".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:43
S25	1279	S20 and ((user or operator) near4 (select\$5 or choos\$5) near5 (keyboard or key\$3map or keypad or layout))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:39
S26	26	S21 and ((print\$5 or output\$5 or creat\$5 or record\$5 or generat\$5 or produc\$5) near4 (layout) near5 (keyboard or key\$3map or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:42
S27	2	"5880712".pn. and ((print\$5 or imprint\$5) same key\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:45
S28	22	400/89.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:45
S29	399	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard or key\$3map or keypad)) same (print\$5 near5 (keyboard or key\$3map or keypad or layout))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:04
S30	30	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard or key\$3map or keypad)) same ((select\$5 or choos\$5) near5 (keyboard or key\$3map or keypad or layout)) same (print\$5 near5 (keyboard or key\$3map or keypad or layout))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:17

EAST Search History

S31	2	"6050825".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:11
S32	140	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard or key\$3map or keypad)) and (((select\$5 or choos\$5) near5 (keyboard or key\$3map or keypad or layout)) same (print\$5 near5 (keyboard or key\$3map or keypad or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:17
S33	452	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard or key\$3map or keypad)) and (((select\$5 or choos\$5) near5 (keyboard or key\$3map or keypad or layout)) same ((record\$5 or print\$5 or emboss\$5 or imprint\$5 or output\$5) near5 (keyboard or key\$3map or keypad or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:20
S34	434	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard or key\$3map or keypad)) and (((select\$5 or choos\$5) near5 (keyboard or key\$3map or keypad)) same ((record\$5 or print\$5 or emboss\$5 or imprint\$5 or output\$5) near5 (keyboard or key\$3map or keypad or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:25
S35	369	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard)) and (((select\$5 or choos\$5) near5 (keyboard or key\$3map or keypad)) same ((record\$5 or print\$5 or emboss\$5 or imprint\$5 or output\$5) near5 (keyboard or key\$3map or keypad or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:25
S36	355	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard)) and (((select\$5 or choos\$5) near5 (keyboard)) same ((record\$5 or print\$5 or emboss\$5 or imprint\$5 or output\$5) near5 (keyboard or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:32

EAST Search History

S37	31	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard) same layout) and (((select\$5 or choos\$5) near5 (keyboard)) same ((record\$5 or print\$5 or emboss\$5 or imprint\$5 or output\$5) near5 (keyboard or layout))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:48
S38	0	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard or keypad) same layout) and (((select\$5 or choos\$5) near5 (keyboard or keypad)) same ((record\$5 or print\$5) near5 (keyboard or keypad or layout) near3 label\$5)) and (table with (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:53
S39	0	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard or keypad) same layout) and (((select\$5 or choos\$5) near5 (keyboard or keypad)) same ((record\$5 or print\$5) near5 (keyboard or keypad or layout) near3 label\$5)) and ((lookup or lut or table) same (stor\$5 or memory) same (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:54
S40	2	((replace\$5 or change\$5 or alter\$9 or substitut\$9 or configur\$5 or reconfigur\$5) near3 (keyboard or keypad) same layout) and (((select\$5 or choos\$5) near5 (keyboard or keypad)) and ((record\$5 or print\$5) near5 (keyboard or keypad or layout) same label\$5)) and ((lookup or lut or table) same (stor\$5 or memory) same (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:39
S41	2	"5387042".pn. and ((select\$5 or choos\$5) with (key\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:46
S42	1	"5387042".pn. and (print\$5 with key\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:47
S43	1	"5387042".pn. and (print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:47

EAST Search History

S44	2	"5387042".pn. and (label\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:47
S45	2	"5387042".pn. and (label\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:51
S46	2	"5387042".pn. and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:35
S47	2	"5222154".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:35
S48	4	(keyboard near3 (template or layout or label) near3 (print\$5 or record\$5)) same ((select\$5 or choos\$5) near3 (keyboard) near3 (layout or configuration or format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 15:27
S49	6	(keyboard near3 (template or layout or label) near3 (print\$5 or record\$5)) and ((select\$5 or choos\$5) near3 (keyboard) near3 (layout or configuration or format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 15:28
S50	1	"5387042".pn. and numeric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 15:29
S51	2	"5387042".pn. and alphanumeric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 15:29
S52	1	"5387042".pn. and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:48
S53	2	"5387042".pn. and (mode adj2 selec\$5 same keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:27

EAST Search History

S54	1	"5387042".pn. and (mode adj2 selec\$5 adj2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:26
S55	1	"5387042".pn. and (selec\$5 near4 keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:27
S56	1	"5387042".pn. and table same select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:32
S57	1	"5387042".pn. and (print\$5 same template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:34
S58	2	"5387042".pn. and label\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:34
S59	2	"5387042".pn. and label\$5 same select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:39
S60	2	"5387042".pn. and template near4 select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:45
S61	2	"5253940".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:45
S62	9	("5253940").URPN.	USPAT	OR	ON	2006/03/05 10:45
S63	4981522	"5387042".pn. and alphanumeric and numeric or number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:49
S64	2	"5387042".pn. and (alphanumeric or numeric or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/05 10:49